

VERTICAL INDICATOR POST

**FIRE
PROTECTION**




Product description:


- Wall indicator post provides a operate installed valve
- Allows from groung level shows open/close position
- Epoxy coating minimum 250 microns according to ANSI/AWWA C550
- Body made of cast iron ASTM 126 class B
- Product according to FM

Application:

Fire protection systems

Assembling:





No.	Part	Material
1	Hex nut	Carbon steel zinc plated
2	Hex bolt	Carbon steel zinc plated
3	Socket	ASTM A536, 65-45-12
4	Cotter pin	Stainless steel 1.4301 EN 10088-1
5	Base flange	Cost iron ASTM A126 class B
6	Hex bolt	Carbon steel zinc plated
7	Hex nut	Carbon steel zinc plated
8	Standpipe	Carbon steel ASTM A53
9	Stem 1" square	Carbon steel ASTM 1045
10	Body	Cost iron ASTM A126 class B
11	Locking wrench	ASTM A536, 65-45-12
12	Target carrier nut	Stainless steel 1.4301 EN 10088-1
13	Hex bolt	Carbon steel zinc plated
14	Hex nut	Carbon steel zinc plated
15	Hex bolt	Carbon steel zinc plated
16	Target	Aluminum
17	Window class	Plexiglass
18	Gasket	EPDM
19	Operation nut	Stainless steel 1.4301 EN 10088-1
20	Top section	Cost iron ASTM A126 class B
21	Snap ring	AISI 1066
22	Plug	Iron
23	Square nut	Carbon steel zinc plated
24	Hex bolt	Carbon steel zinc plated

Partnumber	CE	FM	Weight
-	-	-	[kg]
9118-305-000	v	v	98